

Requirements for using HPD 1.0 to meet LEED requirements are presented in the table that follows.

LEED Requirements for Option 1	HPD 1.0 Requirements
Threshold of at least 1,000 ppm	Under Residuals Disclosure in Summary: “Measured to 1,000 ppm” and/or “Measured to 100 ppm” should be checked. <i>Possible exception:</i> If other thresholds are checked and Full Disclosure of Intentional Ingredients is “Yes,” review Disclosure Notes to see if the Full Disclosure Threshold is identified as 1,000 ppm or 100 ppm
Full disclosure of known hazards	<i>Full Disclosure of Known Hazards</i> in Summary – must be “Yes” <i>Hazard checklist</i> in Summary – must be completed
Role/ function, amount, hazards reported for all ingredients	<i>% Weight, Role, and Hazards</i> in Content in Descending Order of Quantity – must be filled in for all ingredients above threshold
HPD is published	“ <i>HPD URL</i> ” in Summary – must be filled in and functional or other evidence of publication and accessibility must be provided

LEED Requirements for Option 2	HPD 1.0 Requirements
Threshold of at least 100 ppm	Under Residuals Disclosure in Summary: “Measured to 100 ppm” should be checked. <i>Possible exception:</i> If other thresholds are checked and Full Disclosure of Intentional Ingredients is “Yes,” review Disclosure Notes to see if the Full Disclosure Threshold is identified as 100 ppm
No Benchmark-1 scores	<i>Highest Concern GreenScreen Score</i> in Summary must not be BM-1 or LT-1.
GreenScreen scores	<i>GreenScreen (GS)</i> in Content in Descending Order of Quantity must be filled in for all contents and must not be BM-1 or LT-1.